


WEIGHT DATA	
5.4L 80KW	- 1167KG (2573 LB)
5.4L 100KW	- 1048KG (2311 LB)
6.8L 100KW	- 1227KG (2705 LB)
6.8L 130KW	- 1303KG (2873 LB)
6.8L 150KW	- 1209KG (2666 LB)
WOODEN SHIPPING SKIDS INCREASE OVERALL WEIGHT (175 LB)	

**NOTES:**




- 1) MINIMUM RECOMMENDED CONCRETE PAD SIZE: 1545 (60.8") WIDE X 3535 (139.2") LONG. REFERENCE INSTALLATION GUIDE P/N OF5298 FOR CONCRETE PAD REINFORCEMENT AND PAD DEPTH GUIDELINES.
- 2) GENERATOR MUST BE LOCATED A MINIMUM DISTANCE OF 5 FEET FROM A WALL OR FENCE. ALLOW A 5 FOOT MINIMUM PERIMETER OF OPEN SPACE AROUND THE ENTIRE GENERATOR. REFERENCE INSTALLATION GUIDE P/N OF5298 FOR OUTDOOR ROOF MOUNTED APPLICATIONS.
- 3) CIRCUIT BREAKER INFORMATION: SEE SPECIFICATION SHEET WITHIN OWNERS MANUAL.
- 4) INSIDE STUB-UP AREA FOR AC LOAD LEAD CONDUIT CONNECTION, NEUTRAL CONNECTION, BATTERY CHARGER 120 VOLT AC (.5 AMP MAX.) CONNECTION, AND ACCESS TO TRANSFER SWITCH CONTROL WIRES. REMOVE FRONT COVER FOR ACCESS.
- 4A) FIELD CUT HOLE IS ONLY REQUIRED FOR MOUNTING OF GENERATOR ON AN EXISTING PAD.
- 5) REFERENCE OWNERS MANUAL FOR LIFTING WARNINGS.
- 6) REMOVE EITHER LEFT OR RIGHT HAND SIDE PANEL TO ACCESS EXHAUST MUFFLERS AND FAN BELT.



CENTER OF GRAVITY	
1310 (51.6")	- 80KW 5.4L
1405 (55.3")	- 100KW 5.4L
1275 (50.2")	- 100KW 6.8L
1230 (48.4")	- 130KW 6.8L
1315 (51.8")	- 150KW 6.8L

SERVICE ITEM	ACCESS				
	80KW 5.4L	100KW 5.4L	100KW 6.8L	130KW 6.8L	150KW 6.8L
OIL FILL CAP	THRU RIGHT FRONT DOOR				
OIL DIPSTICK	THRU LEFT FRONT DOOR				
OIL FILTER	THRU LEFT FRONT DOOR				
OIL DRAIN HOSE	THRU RIGHT FRONT DOOR				
RADIATOR DRAIN HOSE	THRU LEFT FRONT DOOR				
AIR CLEANER ELEMENT	EITHER FRONT DOORS				
SPARK PLUGS	BOTH FRONT DOORS				
MUFFLERS	SEE NOTE 6				
FAN BELT	SEE NOTE 6				
BATTERY	THRU RIGHT REAR DOOR				
*GEARBOX FILL & DRAIN	THRU RIGHT REAR DOOR				

\*NOTE: EXCLUDING 5.4L 100KW & 6.8L 150KW UNITS REFERENCE OWNERS MANUAL FOR PERIODIC REPLACEMENT PART LISTINGS



# INSTALLATION DRAWING

## 80kW, 100kW, 130kW & 150kW

### 5.4 LITER V-8 and 6.8 LITER V-10

### NATURALLY ASPIRATED ENGINE

#0F6289

